



ItalianGelato
Concepts
dessert projects & equipment supply

Advanced technology
easy to use

603 soft&shake



603 soft&shake



Cleaning once a month
Certified procedure to clean the soft unit without disassembling most of the parts



tap
self-closing option



refrigerated cabinet
a few parts, and easy to access



bag-in-box option
the bag filled with liquid mix is directly connected to the pump



peristaltic pump
high efficiency and high increase in volume granted. The pump is easy to assemble and reduces all consumptions: it only works when we need it!



3x beater
top performance both with gelato and frozen dessert



Dialog System
state-of-the-art solution. It provides real-time support, checks and changes the parameters of the machine, updates the software automatically



603 soft&shake



TECHNICAL SPECIFICATIONS

603 soft&shake

Hourly production	kg	30 x Soft 30 x Shake
Capacity tank Capacity bag in box	lt	12 + 12 10 +10
Flavours	n.	1 + 1
Rated power	kW	5
Condensation		air / water
Electrical supply	STANDARD	400 / 3 / 50 Hz
Dimensions WxDxH	cm	54 x 90 x 163 / air 54 x 80 x 163 / water
Net-Gross weight	kg	285 - 325



Italian Gelato Concepts Pty Limited
Unit 1, 37 Mortimer Road
Acacia Ridge Qld 4110

Bris Office: +61 (0) 7 3162 7724
Syd Office +61 (0) 2 8311 9701

Email: info@italiangelato.com.au

www.italiangelato.com.au



ICETEAM 1927 - Ali Group Srl

Via Emilia, 45/A
40011 Anzola dell'Emilia - Italy
Phone +39.051.6505.330
Fax +39.051.6505.331

an Ali Group Company



The Spirit of Excellence